Attorney Docket No.: COAD-003/01US

Application Serial No.: 10/035,804

Page 2

Amendments to the Claims.

The following listing of claims replaces all prior versions and listings of claims.

Listing of Claims.

1. (Currently Amended) An achromatic half wave plate, comprising:

a first twisted nematic liquid crystal layer;

a second twisted nematic liquid crystal layer; and

a uniaxial half wave plate between said first twisted nematic liquid crystal layer and said

second twisted nematic liquid crystal layer,

wherein the optic axis at the entrance of said uniaxial half wave plate makes an angle of

45 degrees to the polarization of said incident beam, wherein said incident beam is linearly

polarized, and an angle of 90 degrees to the optic axis at the exit of said first twisted nematic

liquid crystal layer,

wherein the optic axis at the entrance of said second twisted nematic liquid crystal layer

is parallel to the optic axis at the exit of said first twisted nematic liquid crystal layer and makes

an angle of 90 degrees to the optic axis of said uniaxial half wave plate.

2. (Original) The achromatic half wave plate of claim 1 wherein said first twisted nematic liquid

crystal layer and said second twisted nematic liquid crystal layer have an identical twist angle.

3. (Original) The achromatic half wave plate of claim 2 wherein said twist angle is

approximately 135 degrees.

4. (Original) The achromatic half wave plate of claim 1 wherein said first twisted nematic liquid

crystal layer and said second twisted nematic liquid crystal layer include polymer liquid crystal

films.

669989 v1/PA #CYT01!.DOC 2

Attorney Docket No.: COAD-003/01US

Application Serial No.: 10/035,804

Page 3

5. (Original) The achromatic half wave plate of claim 1 wherein said uniaxial half wave plate is

constructed of a crystalline birefringent material.

6. (Original) The achromatic half wave plate of claim 1 wherein said uniaxial half wave plate is

a nematic liquid crystal.

7. (Original) The achromatic half wave plate of claim 1 wherein said uniaxial half wave plate is

a smectic A liquid crystal.

8. (Original) The achromatic half wave plate of claim 1 wherein said uniaxial half wave plate is

a smectic C* liquid crystal.

9. (Original) The achromatic half wave plate of claim 1 further comprising a power source to

apply a sufficiently high field to said first twisted nematic liquid crystal layer, said second

twisted nematic liquid crystal layer, and said uniaxial half wave plate to produce liquid crystal

layers that are simultaneously reoriented to a substantially homeotropic state.

10. (Original) The achromatic half wave plate of claim 1 wherein the remnant surface

orientation of each liquid crystal surface is compensated by another liquid crystal surface with an

orthogonal remnant surface orientation.

11. (Original) The achromatic half wave plate of claim 1 further comprising a power source to

apply a sufficiently high field to said first twisted nematic liquid crystal layer, said second

twisted nematic liquid crystal layer, and said uniaxial half wave plate to produce substantially no

alteration of the polarization of an incident beam.

12. (Original) The achromatic half wave plate of claim 1 configured to provide approximately

30 db or more isolation between two polarization states over a wavelength range of +/- 20% of a

central wavelength.

669989 v1/PA #CYT01!.DOC 3

Attorney Docket No.: COAD-003/01US

Application Serial No.: 10/035,804

Page 4

13. (Original) The achromatic half wave plate of claim 1 wherein said uniaxial half wave plate

has an optic axis oriented at approximately 45 degrees to the polarization of an incident beam.

14. (Original) The achromatic half wave plate of claim 1 wherein said first twisted nematic

liquid crystal layer and said second twisted nematic liquid crystal layer have an identical twist

angle and different surface alignment orientations selected as a function of said twist angle.

15. (Original) The achromatic half wave plate of claim 1 configured to produce substantially

uniform output polarization over at least a 50° C temperature range over a wavelength range of

+/- 2% of a central wavelength.

16. (Original) The achromatic half wave plate of claim 1 wherein the optic axis at the entrance

of said first twisted nematic liquid crystal layer is substantially orthogonal to the optic axis at the

exit of said second twisted nematic liquid crystal layer.

17. (Original) The achromatic half wave plate of claim 1 wherein the optic axis at the entrance

of said first twisted nematic liquid crystal layer is parallel to the polarization of an incident beam.

18. (Canceled).

19. (Canceled).

20. (Canceled).

22. (Canceled).

23. (Canceled).

24. (Canceled).

669989 v1/PA #CYT01!.DOC

4